




QUICKSILVER
S C I E N T I F I C

THE **DETOX QUBE** WITH **EDTA**

ADVANCED HEAVY METAL DETOXIFICATION KIT

PERFECT DELIVERY • PERFECT PATHWAY • PERFECT PROTOCOL



INSIDE THE DETOX QUBE WITH EDTA

Kit Item	Count and Size
Liposomal Glutathione	6 x 50 mL bottles
Liposomal Vitamin C with R-Lipoic Acid	6 x 50 mL bottles
Liposomal EDTA with R-Lipoic Acid	2 x 120 mL bottles
Clear Way Cofactors	2 x 120 cap bottles
IMD Intestinal Cleanse	1 x 9-g bottle
Complete protocol instructions and guide	



DETOX QUBE WITH EDTA

The **Detox Qube with EDTA** contains the elements necessary for systemic glutathione system support, which enables natural detoxification. It supports the elimination of heavy metals from within the cells of the body, and out through the gastrointestinal tract.* By strengthening the glutathione system within the cell, toxic heavy metals are captured and transported out of the cell, and cellular antioxidant status, health, and function is simultaneously maintained.* The process of heavy metal detoxification is completed with the use of a binder with high affinity for heavy metals, which captures the metal-glutathione conjugates secreted in the bile into the intestines, ensuring comprehensive elimination from the body.*

The **Detox Qube with EDTA** elaborates upon the **Detox Qube** with the inclusion of **Liposomal EDTA with R-Lipoic Acid**, supporting cellular detoxification from metals beyond mercury. The products included in the **Detox Qube with EDTA** function synergistically to support the body's natural processes of detoxification.

- Liposomal Glutathione** is one of the anchors of the system, delivering the body's core antioxidant and detoxification compound. The liposomal delivery of glutathione is very effective at delivering this primary intracellular antioxidant both into the bloodstream and into the cell.*
- Liposomal Vitamin C with R-Lipoic Acid** provides these potent antioxidants directly, and supports the body's endogenous production of glutathione and the associated molecules and enzymes that function to detoxify or remove toxins from the cell.*
- Liposomal EDTA with R-Lipoic Acid** provides a highly absorbable liposomal form of oral ethylenediaminetetraacetic acid, commonly known as EDTA, delivered with the antioxidant R-lipoic acid. EDTA is used for the targeting of heavy metals besides mercury, while R-lipoic acid additionally promotes metal mobilization and recovery.*
- The nutrients and natural substances found in **Clear Way Cofactors** encourage the process of detoxification in four-fold fashion, supporting: 1) intracellular production of glutathione, 2) elimination of biofilms that impede detoxification, 3) gastrointestinal health and elimination, and 4) metal detoxification pathways.*
- Finally, **IMD Intestinal Cleanse**, a proprietary thiol-functionalized silica, prevents reabsorption of metals in the intestines as it tightly binds toxic metals that have been excreted in the bile, and escorts them out through the gastrointestinal tract.*

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

ADDITIONAL SUPPORT FOR DETOXIFICATION

Because the process of detoxification can be taxing on the body and may deplete essential minerals, we recommend additional support for remineralization to support the body energetically. Additionally, some individuals experience blockages to detoxification at the level of the kidneys, or the liver and gallbladder, for which we recommend the use of supportive botanicals that are not included in the kit. Some of these supplements are to be taken during the “days off” from detoxification supplements, while others are important to incorporate during the “days on” period. The timing and dosages of these recommended and optional supportive supplements are detailed within each protocol.

Products we suggest in conjunction with the **DETOX QUBE with EDTA** protocol include:

Non-Kit Item (Recommended)	Count and Size
Multimineral (e.g., Pure Encapsulations Mineral 650® or Thorne Biomins®)	2 to 3 bottles
Zinc Picolinate or Citrate (e.g., Pure Encapsulations Zinc 15 or Thorne Zinc Picolinate)	60 to 90 capsules
BitterX (liver, gallbladder, and kidney support*)	4 x 50 mL bottles

Non-Kit Item (Optional)	Count and Size
Ayush Herbs Rentone (kidney support*)	2 to 3 x 90-cap bottles
NanoMojo (male adrenal support*) OR Thrivagen (female adrenal support*)	1 to 2 x 50 mL bottles
Quinton Isotonic (Sea Minerals) OR QuintEssential 0.9 (mineral balance*)	2 to 3 x 30-ampule boxes
Quinton Hypertonic (Sea Minerals) OR QuintEssential 3.3 (remineralization*)	2 to 3 x 30-ampule boxes


* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

THE 3 LEVELS OF DETOXIFICATION

The protocols developed for the Detox Qube with EDTA allow one to select the level of detoxification that is appropriate for their own, or their patient’s, level of health. One (1) Detox Qube with EDTA is required to complete any of the three successively more intense levels of Detox. After completing the first level of detox, one may elect to encourage a deeper cleanse by completing a subsequent level. It is recommended that the levels be done in sequence and that levels are not skipped. For patients who are extremely sensitive, Level I, or even lower dosages of the supplements within the Detox Qube with EDTA are recommended. Alternatively, for patients who have a high level of vitality and do not exhibit significant blockages to detoxification, a practitioner may elect to start with Level II or III.

As each successive level uses higher dosing than the previous, the Detox Qube with EDTA contents are used in a shorter amount of time for each level. **Level I** takes **3 months** to complete the Qube and has **3 successive stages** in which dosages of detoxification supplements are progressively increased. **Level II** takes **2 months** to complete, with **2 different stages** of progressively higher dosages. Finally, **Level III** takes **1.5 months** to complete, during which **dosages are consistent** through this period.

All suggested times for taking the Detox Qube with EDTA products are flexible and can be adjusted at the practitioner’s discretion. For example, if there is fatigue, the “On rising” dose of IMD may be taken at bedtime, 15 minutes before or after glutathione. If there is stomach upset with Clear Way Cofactors, it may be taken with food.



* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

LEVEL I DETOX QUBE WITH EDTA PROTOCOL FIRST 4 WEEKS (MONTH 1)

Please follow the dosage schedule below. Level I takes 3 months to complete and has 3 successive stages in which dosages of detoxification supplements are progressively increased to encourage a deeper cleanse. All liposomal products should be held in the mouth 30 – 90 seconds before swallowing. As detailed, detoxification products should be taken for 5 days straight and then a break should be taken for 2 days in which other supportive supplements can continue to be taken.

Note: Liposomal EDTA with R-Lipoic Acid is not added until months 2 and 3 in Level I.

Disclaimer: This system is not intended to diagnose or treat any disease. The dosing schedule below is designed to serve as a guide, and should not supplant guidance concerning the use of these supplements provided by your healthcare practitioner.

Month 1: 4 cycles of 5 days “on” and 2 days “off” Take detoxification supplements as listed below for 5 days:		
Morning	On rising, at least 30 minutes before food	Take 2 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 4 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before food	4 pumps of Liposomal Glutathione Recommended, non-kit items: 3 pumps of BitterX
	With breakfast	<i>Optional, non-kit item: 1 caplet of Rentone and 1 ampule of Quinton Hypertonic</i>
Midday	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc <i>Optional, non-kit item: 1 caplet of Rentone</i>
Evening	10 minutes before meal	4 pumps of Liposomal Vitamin C with R-Lipoic Acid Recommended, non-kit items: 3 pumps of BitterX
	With meal	<i>Optional, non-kit item: 1 caplet of Rentone</i>
Before Bed		4 pumps of Liposomal Glutathione <i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Take additional supportive supplements as listed below for 2 days:		
Morning	10 minutes before breakfast	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
Midday	10 minutes before lunch	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc
Evening	10 minutes before meal	<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Before Bed		<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>

LEVEL I DETOX QUBE WITH EDTA PROTOCOL SECOND 4 WEEKS (MONTH 2)

Disclaimer: This system is not intended to diagnose or treat any disease. The dosing schedule below is designed to serve as a guide, and should not supplant guidance concerning the use of these supplements provided by your healthcare practitioner.

Month 2: 4 cycles of 5 days “on” and 2 days “off” Take detoxification supplements as listed below for 5 days:		
Morning	On rising, at least 30 minutes before food	Take 2 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 5 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before food	5 pumps of Liposomal Glutathione Recommended, non-kit items: 3 pumps of BitterX
	With breakfast	<i>Optional, non-kit item: 1 caplet of Rentone and 1 ampule of Quinton Hypertonic</i>
Midday	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc <i>Optional, non-kit item: 1 caplet of Rentone</i>
Evening	30 minutes before meal	Take 2 caps of Clear Way Cofactors with a small amount of water, followed by 5 pumps of Liposomal Vitamin C with R-Lipoic Acid.
	10 minutes before meal	Recommended, non-kit items: 3 pumps of BitterX
	With meal	<i>Optional, non-kit item: 1 caplet of Rentone</i>
Before Bed		1 tsp of Liposomal EDTA with R-Lipoic Acid, followed by 5 pumps of Liposomal Glutathione <i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Take additional supportive supplements as listed below for 2 days:		
Morning	10 minutes before breakfast	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
Midday	10 minutes before lunch	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc
Evening	10 minutes before meal	<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Before Bed		<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>

LEVEL I DETOX QUBE WITH EDTA PROTOCOL THIRD 4 WEEKS (MONTH 3)

Disclaimer: This system is not intended to diagnose or treat any disease. The dosing schedule below is designed to serve as a guide, and should not supplant guidance concerning the use of these supplements provided by your healthcare practitioner.

Month 3: 4 cycles of 5 days "on" and 2 days "off" Take detoxification supplements as listed below for 5 days:		
Morning	On rising, at least 30 minutes before food	Take 3 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 6 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before food	6 pumps of Liposomal Glutathione Recommended, non-kit items: 4 pumps of BitterX
	With breakfast	Optional, non-kit item: 1 caplet of Rentone and 1 ampule of Quinton Hypertonic
Midday	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc Optional, non-kit item: 1 caplet of Rentone
Evening	30 minutes before meal	Take 3 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 6 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before meal	Recommended, non-kit items: 4 pumps of BitterX
	With meal	Optional, non-kit item: 1 caplet of Rentone
Before Bed		1 tsp of Liposomal EDTA with R-Lipoic Acid, followed by 6 pumps of Liposomal Glutathione Optional, non-kit item: 1 ampule of Quinton Isotonic
Take additional supportive supplements as listed below for 2 days:		
Morning	10 minutes before breakfast	Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic
Midday	10 minutes before lunch	Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc
Evening	10 minutes before meal	Optional, non-kit item: 1 ampule of Quinton Isotonic
Before Bed		Optional, non-kit item: 1 ampule of Quinton Isotonic

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

LEVEL II DETOX QUBE WITH EDTA PROTOCOL FIRST 4 WEEKS (MONTH 1)

Please follow the dosage schedule below. Level II takes 2 months to complete and has 2 successive stages in which dosages of detoxification supplements are progressively increased to encourage a deeper cleanse. All liposomal products should be held in the mouth 30 – 90 seconds before swallowing. As detailed, detoxification products should be taken for 10 days straight and then a break should be taken for 4 days in which other supportive supplements can continue to be taken. It can alternatively be done in cycles of 5 days on and 2 days off, but the 10/4 cycles are a deeper cleanse. In the second month, supplements are taken at higher dosages to encourage more intense elimination.

Disclaimer: This system is not intended to diagnose or treat any disease. The dosing schedule below is designed to serve as a guide, and should not supplant guidance concerning the use of these supplements provided by your healthcare practitioner.

Month 1: 2 cycles of 10 days "on" and 4 days "off" Take detoxification supplements as listed below for 10 days "on":		
Morning	On rising, at least 30 minutes before food	Take 3 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 6 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before food	3 pumps of Liposomal Glutathione Recommended, non-kit items: 5 pumps of BitterX
	With breakfast	Optional, non-kit item: 1 caplet of Rentone and 1 ampule of Quinton Hypertonic
Midday	10 minutes before lunch	4 pumps Liposomal Vitamin C with R-Lipoic Acid and 3 pumps Liposomal Glutathione.
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc Optional, non-kit item: 1 caplet of Rentone
Evening	30 minutes before meal	Take 3 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 4 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before meal	4 pumps of Liposomal Glutathione Recommended, non-kit items: 5 pumps of BitterX
	With meal	Optional, non-kit item: 1 caplet of Rentone
Before Bed		1 tsp of Liposomal EDTA with R-Lipoic Acid, followed by 4 pumps of Liposomal Glutathione Optional, non-kit item: 1 ampule of Quinton Isotonic
Take additional supportive supplements as listed below for 4 days "off":		
Morning	10 minutes before breakfast	Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic
Midday	10 minutes before lunch	Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc
Evening	10 minutes before meal	Optional, non-kit item: 1 ampule of Quinton Isotonic
Before Bed		Optional, non-kit item: 1 ampule of Quinton Isotonic

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

LEVEL II DETOX QUBE WITH EDTA PROTOCOL SECOND 4 WEEKS (MONTH 2)

Disclaimer: This system is not intended to diagnose or treat any disease. The dosing schedule below is designed to serve as a guide, and should not supplant guidance concerning the use of these supplements provided by your healthcare practitioner.

Month 2: 2 cycles of 10 days "on" and 4 days "off" Take detoxification supplements as listed below for 10 days "on":		
Morning	On rising, at least 30 minutes before food	Take 3 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 6 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before food	4 pumps of Liposomal Glutathione Recommended, non-kit items: 5 pumps of BitterX
	With breakfast	<i>Optional, non-kit item: 1 caplet of Rentone and 1 ampule of Quinton Hypertonic</i>
Midday	10 minutes before lunch	5 pumps Liposomal Vitamin C with R-Lipoic Acid and 4 pumps Liposomal Glutathione.
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc <i>Optional, non-kit item: 1 caplet of Rentone</i>
Evening	30 minutes before meal	Take 3 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 5 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before meal	4 pumps of Liposomal Glutathione Recommended, non-kit items: 5 pumps of BitterX
	With meal	<i>Optional, non-kit item: 1 caplet of Rentone</i>
Before Bed		1 tsp of Liposomal EDTA with R-Lipoic Acid, followed by 4 pumps of Liposomal Glutathione <i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Take additional supportive supplements as listed below for 4 days "off":		
Morning	10 minutes before breakfast	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
Midday	10 minutes before lunch	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc
Evening	10 minutes before meal	<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Before Bed		<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

LEVEL III DETOX QUBE WITH EDTA PROTOCOL 6 WEEKS

This highest level of detoxification takes approximately 6 weeks to complete, during which dosages of detoxification supplements are consistent. Please follow the dosage schedule below for 3 cycles of 10 days "on" and 4 days "off." All liposomal products should be held in the mouth 30 – 90 seconds before swallowing. As detailed, detoxification products should be taken for 10 days straight and then a break should be taken for 4 days in which other supportive supplements can continue to be taken. It can alternatively be done in cycles of 5 days on and 2 days off, but the 10/4 cycles are a deeper cleanse.

Disclaimer: This system is not intended to diagnose or treat any disease. The dosing schedule below is designed to serve as a guide, and should not supplant guidance concerning the use of these supplements provided by your healthcare practitioner.

Take detoxification supplements as listed below for 10 days:		
Morning	On rising, at least 30 minutes before food	Take 4 caps of Clear Way Cofactors with a small amount of water. Mix 2 scoops (200mg) IMD Intestinal Cleanse in 8 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before food	5 pumps of Liposomal Glutathione Recommended, non-kit items: 6 pumps of BitterX
	With breakfast	<i>Optional, non-kit item: 1 caplet of Rentone and 1 ampule of Quinton Hypertonic</i>
Midday	10 minutes before lunch	6 pumps Liposomal Vitamin C with R-Lipoic Acid and 5 pumps Liposomal Glutathione.
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc <i>Optional, non-kit item: 1 caplet of Rentone</i>
Evening	30 minutes before meal	Take 4 caps of Clear Way Cofactors with a small amount of water. Mix 1 scoop (100mg) IMD Intestinal Cleanse in 6 pumps of Liposomal Vitamin C with R-Lipoic Acid and take by mouth.
	10 minutes before meal	5 pumps of Liposomal Glutathione Recommended, non-kit items: 6 pumps of BitterX
	With meal	<i>Optional, non-kit item: 1 caplet of Rentone</i>
Before Bed		1.5 tsp of Liposomal EDTA with R-Lipoic Acid, followed by 5 pumps of Liposomal Glutathione <i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Take additional supportive supplements as listed below for 4 days:		
Morning	10 minutes before breakfast	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
Midday	10 minutes before lunch	<i>Optional, non-kit item: 2 – 4 pumps of NanoMojo or Thrivagen and 1 ampule of Quinton Hypertonic</i>
	With lunch	Recommended, non-kit items: One serving of multimineral and additional 15 mg of zinc
Evening	10 minutes before meal	<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>
Before Bed		<i>Optional, non-kit item: 1 ampule of Quinton Isotonic</i>

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

THE DETOX QUBE PRODUCTS

Liposomal Glutathione

Glutathione is the master detoxifier and the body's main endogenous antioxidant.* Toxins are linked to glutathione, which then carries them into the bile, the stool, and out of the body. Glutathione protects our cells' delicate chemical machinery, and helps energy metabolism run efficiently.* Glutathione is also integral to our immune system, especially for resistance to viruses.* The advanced liposomes from our **Quicksilver Delivery Systems™** absorb rapidly in the mouth, preventing glutathione from being broken down in the digestive tract, which limits the bioavailability of other glutathione formats. Liposomal delivery of glutathione also dramatically improves the ability of glutathione to enter into the cellular environment where it is needed. In cell cultures, liposomal glutathione has been demonstrated to be 100 times more efficient for intracellular delivery than non-liposomal glutathione.*



Liposomal Vitamin C with R-Lipoic Acid

Vitamin C with R-Lipoic Acid directly supports the body's antioxidant status and simultaneously promotes the production of glutathione within the cells.* As an antioxidant, vitamin C scavenges and neutralizes free radicals, inhibits lipid peroxidation of cellular membranes, and supports levels of the other necessary antioxidants, vitamin E and glutathione.* Beyond its role as an antioxidant, **vitamin C** supports normal immune system function, cholesterol metabolism, and the growth and repair of collagen. It also is a cofactor in numerous enzymatic reactions and is necessary for the synthesis of hormones and neurotransmitters.

Lipoic Acid has been shown to extend the biological activity of vitamins C and E, also raising ubiquinol (commonly known as CoQ10) levels and endogenous production of glutathione via the Nrf2 nuclear transcription pathway.* Lipoic acid is also able to cross the blood-brain barrier, and it has been shown to have neuroprotective effects.* Lipoic acid has evidence as a chelator of redox-active metals *in vitro* and *in vivo*.



Liposomal EDTA with R-Lipoic Acid

Liposomal EDTA with R-Lipoic Acid is a highly absorbable liposomal form of oral EDTA (ethylenediaminetetraacetic acid), delivered with the antioxidant R-lipoic acid. EDTA is a metal chelator, and is used for the targeting of heavy metals besides mercury, including lead and cadmium.* Very small liposomes, such as those that deliver Liposomal EDTA with R-Lipoic Acid, are rapidly absorbed orally and via the lymphatics, readily delivering their encapsulated contents into the tissues and cells. For some compounds and nutritional substances, this can lead to intracellular delivery that even surpasses intravenous therapies.* R-Lipoic acid has evidence as a chelator of redox-active metals *in vitro* and *in vivo*, and works synergistically with EDTA to promote metal mobilization and recovery.*



Clear Way Cofactors

Clear Way Cofactors is a proprietary blend of botanically-sourced **polyphenolic antioxidants**, **R-lipoic acid (RLA)**, targeted vitamins (**B1**, **B5**, and **B6**), **selenium**, and high-potency **nattokinase**, designed to maximize metal detoxification pathways.* Polyphenolic antioxidants, RLA, and selenium have demonstrated the ability to upregulate the detoxification systems of the body by inducing the Nrf2 transcription pathway.* Selenium also interacts with methylmercury in the intestines, promoting elimination, and serves to restore levels in the body that are depleted with mercury exposure.*

Haritaki, the polyphenolic-rich fruit of the *Terminalia Chebula* tree and one of the botanicals found in the Ayurvedic combination Triphala, supports the reduction of intestinal inflammation, healing of the gastrointestinal mucosa, and encourages normal elimination, which are all important for detoxification.* **Gotu kola** and **bacopa** are neuroprotective botanicals that support cognitive health and reduction of neuroinflammation.* High-potency **nattokinase** is included to help break down biofilms, which can be associated with colonization of dysbiotic gastrointestinal flora, and impede heavy metal and toxin elimination.* Finally, **vitamins B1**, **B5**, and **B6** are included to maximize metal detoxification pathways.*



* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Notes

IMD Intestinal Cleanse

IMD Intestinal Cleanse is a proprietary thiol-functionalized silica that delivers insoluble thiol groups, covalently bonded to a silica particle, which bind to mercury and other heavy metals in the intestines.* IMD Intestinal Cleanse enhances *Phase III Detoxification* – that is, the system of transporters leading out of the body.* Because there is a high level of enterohepatic reabsorption of mercury and other toxic metals, the most effective way to support natural detoxification is to bind and escort them out through the gastrointestinal tract, which is what IMD Intestinal Cleanse is designed to do.* IMD Intestinal Cleanse has a high affinity for methylmercury, arsenic, and cadmium, which it intercepts in the gastrointestinal tract, and escorts out through the intestines.* It does not enter the bloodstream, and thus it will not lead to redistribution or surges of mobilized metals that can potentially lead to kidney/liver overload.* By binding and eliminating these toxic compounds in the intestines, it allows organ and tissue-bound mercury and other metals to safely drain into the blood at a natural rate.*



ABOUT QUICKSILVER SCIENTIFIC

Quicksilver Scientific is a leading manufacturer of advanced nutritional systems with a focus on detoxification. We specialize in superior liposomal delivery systems and heavy metal testing to support optimal health. Our advanced liposomal supplements are highly absorbable and support the body in the elimination of ubiquitous toxins, enabling you to achieve your genetic potential. At Quicksilver Scientific, we are passionate about health and well-being and are committed to improving the lives of everyone we touch.

For more information about the complete line of Quicksilver Scientific products, please visit our website at www.quicksilverscientific.com.

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.



QUICKSILVER
S C I E N T I F I C

www.quicksilverscientific.com
